

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Patent Application of:	Daisuke IHARA, et al.	§	
Conf. No.:	1275	§	Group Art Unit: Not Yet Assigned
Application. No.:	10/595,482	§	Examiner: Not Yet Assigned
Filing Date:	April 21, 2006	§	Attorney Docket No.: 9369-117US (T37- § 210733M/AIO)
Title:	ROTARY DRY VACUUM PUMP		

PETITION FOR EXTENSION OF TIME UNDER (37 C.F.R. § 1.136(a))

As detailed in the attached response to the Notice of Missing Requirements, it is respectfully submitted that no Extension of Time is necessary. However, in the event it is deemed a Petition and Extension of Time fee is necessary, applicant(s) in the above-identified application hereby petition(s) for a two-month extension of time to and including April 22, 2007 for responding to the Notice of Missing Requirements mailed December 22, 2006. A response to the Notice of Missing Requirements accompanies this Petition.

☒ [X] The Commissioner is hereby authorized to charge Deposit Account No. 50-1017 (**Billing No. 209369.0117**) as noted below.

☒ [X] Extension fee in the amount of \$450.00.

☒ [X] Any deficiencies or overpayments in the above-calculated fee.

Respectfully submitted,

Daisuke IHARA, et al.

April 5, 2007 By: Martin G. Belisario
(Date) **MARTIN G. BELISARIO**
Registration No. 32,886
AKIN GUMP STRAUSS HAUER & FELD LLP
One Commerce Square
2005 Market Street, Suite 2200
Philadelphia, PA 19103-7013
Telephone: 215-965-1200
Direct Dial: 215-965-1303
Facsimile: 215-965-1210
E-Mail: mbelisario@akingump.com

MGB/emd
Enclosures